

BULLETIN #: PE988

ENGINE: E225DPXAA

BOAT TYPE: Deck

DATE OF TEST: 9/17/12



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com

Hurricane

Nautic Global Group
4500 Middlebury St.
Elkhart, IN 46516
574-522-8381

www.hurricaneboats.com**2013 Hurricane SD 237 OB**

BOAT	
2013 Hurricane SD 237 OB	
Material:	Fiberglass
Length:	23' 2"
Beam:	102"
Weight w/o Engine:	3010 Lbs
Maximum HP:	300 HP
Fuel Capacity:	61 Gallons
Transom Height:	25" Shaft
Steering:	Hydraulic

ENGINE	
2013 Evinrude® 225 HP ETEC®	
Engine Type:	90° V6
Horsepower:	225 HP @ 5150 RPM
Displacement:	3.3 Litre
Induction:	ETEC DFI
Operating Range:	4500-5800 RPM
Weight:	524 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP Viper	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4" x 19"
No. of Blades:	3
Part Number:	763918
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.5	0.21	11.7	641
1000	4.9	0.60	8.2	448
1500	6.5	1.70	3.8	208
2000	7.5	3.30	2.3	125
2500	16.7	5.60	3.0	164
3000	21.7	7.15	3.0	166
3500	27.0	8.50	3.2	174
4000	31.9	10.30	3.1	170
4500	36.5	12.75	2.9	157
5000	42.0	15.80	2.7	146
5500	46.9	19.40	2.4	133
5600	47.9	20.10	2.4	131
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	5 MPH
Air Temperature:	73° F
Fuel Load:	1/2 full
Weight:	1 Man, Fuel, Test Gear

PERFORMANCE SUMMARY	
Top Speed:	47.9 MPH
Best Fuel Efficiency:	3.2 MPG with a range of 174 Miles @ 27.0 MPH
Acceleration:	3.3 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2009 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

