

EVINRUDE

E-TEC

PERFORMANCE REPORT

BULLETIN #: 1126 **ENGINE:** E135HSL **BOAT TYPE:** Pontoon **DATE OF TEST:** 8/7/2014



BRP US, Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



Misty Harbor
228 Kenyon Rd. W.
Fort Dodge, Iowa 50501
1-888-353-9575
www.mistyharborboats.com

2015 Misty Harbor Adventure 245 CU

BOAT

2015 Misty Harbor Adventure 245 CU

Material	Aluminum
Length	22'
Beam	8' 6"
Weight w/o Engine	1900 LBS
Maximum HP	135 HP
Fuel Capacity	28 Gallons
Transom Height	20"
Steering	Hydraulic

ENGINE

2015 Evinrude® E-TEC® 135 H.O.

Engine Type	60° V-6
Horsepower	135 H.O.
Displacement	158.2cu in / 2592cc
Induction	E-TEC DFI
Operating Range	5300-6000 RPM
Weight	418 LBS Dry Weight
Gear Ratio	1.86:1

PROPELLER

Evinrude® Aluminum™

Material	Aluminum
Diameter/Pitch	15.5 x 11
No. of Blades	3
Part Number	767620

MOUNTING HEIGHT

Hole Position	#1
Jack Plate	No
AV Mounting	N/A

PERFORMANCE DATA

RPM	MPH	GPH	MPG	RANGE
500	1.70	0.10	17.00	428
1000	3.70	0.50	7.40	186
1500	5.65	1.00	5.65	142
2000	7.90	1.50	5.27	133
2500	10.35	2.35	4.40	111
3000	14.25	3.55	4.01	101
3500	18.10	5.10	3.55	89
4000	21.05	6.75	3.12	79
4500	24.15	8.55	2.82	71
5000	26.60	11.10	2.40	60
5500	29.15	12.40	2.35	59
5850	30.85	13.85	2.23	56

Fuel Data Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS

Water Conditions	Choppy
Wind Velocity	10 MPH
Air Temperature	65° F
Fuel Load	14 Gallons
Weight	2 Men & Test gear

PERFORMANCE SUMMARY

Top Speed	30.9 MPH
Best Fuel Efficiency	4.01 MPG For 101 Miles @ 14.25 MPH
Acceleration	4 seconds to plane



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2014 BRP US Inc. All rights reserved. ™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

EVINRUDE
E-TEC®

