

EVINRUDE

E-TEC

PERFORMANCE REPORT

BULLETIN #: 1122 **ENGINE:** E40DSL **BOAT TYPE:** Pontoon **DATE OF TEST:** 7/7/2014



BRP US, Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



Misty Harbor
228 Kenyon Rd. W.
Fort Dodge, Iowa 50501
1-888-353-9575
www.mistyharborboats.com
2015 Misty Harbor Biscayne Bay
1680 CS

BOAT	
2015 Misty Harbor Biscayne Bay 1680 CS	
Material	Aluminum
Length	16'
Beam	8'
Weight w/o Engine	790 LBS
Maximum HP	40 HP
Fuel Capacity	6 Gallons
Transom Height	20"
Steering	Cable

ENGINE	
2015 Evinrude® ETEC® 40 HP	
Engine Type	Inline 2 Cylinder
Horsepower	40 HP
Displacement	52.7cu in / 863cc
Induction	E-TEC DFI
Operating Range	5500-6000 RPM
Weight	240 LBS Dry Weight
Gear Ratio	2.9:1

PROPELLER	
Evinrude® Aluminum™	
Material	Aluminum
Diameter/Pitch	13.75x13
No. of Blades	3
Part Number	765181
MOUNTING HEIGHT	
Hole Position	#1
Jack Plate	No
AV Mounting	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
850	1.85	0.10	18.50	100
1000	2.35	0.10	23.50	127
1500	3.50	0.25	14.00	76
2000	4.70	0.50	9.40	51
2500	5.85	0.55	10.64	57
3000	7.25	1.10	6.59	36
3500	8.80	1.50	5.87	32
4000	11.25	1.80	6.25	34
4500	13.90	2.40	5.79	31
5000	15.95	2.75	5.80	31
5500	17.65	3.60	4.90	26
5700	17.85	3.90	4.58	25

TEST CONDITIONS	
Water Conditions	Slight chop
Wind Velocity	5 MPH
Air Temperature	80° F
Fuel Load	3 Gallons
Weight	2 men & test gear

PERFORMANCE SUMMARY	
Top Speed	17.9 MPH
Best Fuel Efficiency	6.59 MPG For 36 Miles @ 7.25 MPH
Acceleration	5 seconds to plane

Fuel Data Range (Miles) Based On 90% Fuel Capacity



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2014 BRP US Inc. All rights reserved. ™ ® and the BPR logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

