



Bombardier Recreational Products Inc.  
10101 Science Drive  
Sturtevant, WI 53177  
[www.evinrude.com](http://www.evinrude.com)



Starcraft Marine  
68143 Clunette ST  
New Paris, IN 46553  
574-831-2103

[www.starcraftmarine.com](http://www.starcraftmarine.com)



### 2013 Starcraft 201 SCX

BOAT	
2013 Starcraft 201 SCX	
Material:	Fiberglass
Length:	20' 4"
Beam:	94"
Dry Weight	2715 Lbs
Maximum HP:	225 HP
Fuel Capacity:	50 Gallon
Transom Height:	25"
Steering:	Hydraulic

ENGINE	
2013 Evinrude 150 ETEC	
Engine Type:	60 Degree V6
Horsepower:	150 HP @ 5350 RPM
Displacement:	158.2 Cu In
Induction:	ETEC DFI
Operating Range:	4850-5850 RPM
Weight:	433 Lbs
Gear Ratio:	1.85:1

PROPELLER	
BRP Viper	
Material:	Stainless Steel
Diameter/Pitch:	14 3/4 x 16"
No. of Blades:	3
Part Number:	763912
MOUNTING HEIGHT	
Hole Position:	#3
Jack Plate:	N/A
Motor Height	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.3	0.10	23.0	1035
1000	4.5	0.50	9.0	405
1500	6.3	1.20	5.3	236
2000	7.7	2.30	3.3	151
2500	9.1	3.95	2.3	104
3000	16.5	5.45	3.0	136
3500	22.4	6.10	3.7	165
4000	28.4	7.50	3.8	170
4500	32.5	9.15	3.5	160
5000	36.5	11.50	3.2	143
5500	41.1	14.30	2.9	129
5850	43.7	16.05	2.7	122

Fuel Data Based on Single Engine. Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 mph
Air Temperature:	70 Degrees
Fuel Load:	1/2 tank
Weight:	2 people, Fuel, test & safety gear

PERFORMANCE SUMMARY
Top Speed: <b>43.7 MPH</b>
Best Fuel Efficiency: <b>170 Miles @ 3.8 MPG @ 28.4 MPH</b>
Acceleration: <b>3.0 seconds to plane</b>

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2011 BRP US Inc. All rights reserved.

™ and the BPR logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

