



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com

Tahoe

Avalon & Tahoe Mfg
903 Michigan Avenue
Alma, MI 48801
1-989-463-2112

www.avalonpontoons.com



2013 Tahoe LTF

BOAT	
2013 Tahoe LTF	
Material:	Aluminum
Length:	19'
Beam:	8'6"
Weight w/o Engine:	1600 Lbs
Maximum HP:	75 HP
Fuel Capacity:	32 Gallons
Transom Height:	20" Shaft
Steering:	Cable

ENGINE	
2013 Evinrude® 60 HP ETEC®	
Engine Type:	In Line 2 Cyl
Horsepower:	60 @ 5750 RPM
Displacement:	52.7 Cu In
Induction:	ETEC DFI
Operating Range:	5500-6000 RPM
Weight:	240 LBS Dry Weight
Gear Ratio:	2.67:1

PROPELLER	
BRP™	
Material:	Aluminum
Diameter/Pitch:	14 x 11"
No. of Blades:	3
Part Number:	763301
MOUNTING HEIGHT	
Hole Position:	#1
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
950	2.4	0.10	23.7	681
1000	2.7	0.10	27.4	789
1500	4.0	0.34	11.9	343
2000	5.2	0.50	10.5	302
2500	6.7	0.76	8.8	255
3000	7.8	1.21	6.4	185
3500	10.5	1.81	5.8	167
4000	13.2	2.33	5.7	164
4500	15.8	2.95	5.4	154
5000	17.7	3.34	5.3	153
5500	20.2	4.13	4.9	141
5775	21.3	5.29	4.0	116
Range (Miles) Based On 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	10 MPH
Air Temperature:	75° F
Fuel Load:	1/4 Full
Weight:	2 Men, Fuel, Safety/Test Gear,

PERFORMANCE SUMMARY	
Top Speed:	21.3 MPH
Best Fuel Efficiency:	6.4 MPG with a range of 185 Miles @ 7.8 MPH
Acceleration:	3.5 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ ® and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

